New Method for Identification and Response to Infectious Disease Patterns Based on Comprehensive Health Service Data

Desi Vinsensia¹, Siskawati Amri², Jonhariono Sihotang², Hengki Tamando Sihotang²

¹STMIK Pelita Nusantara, Medan, Indonesia ²Universitas Putra Abadi Langkat, Stabat, Indonesia

Article Info

Article history:

ABSTRACT

Received April 23, 2024 Revised May 30, 2024 Accepted June 05, 2024

Keywords:

Comprehensive Health Data Disease Patterns Health Service Data Infectious Diseases Infectious diseases continue to pose a major threat to global public health and require early detection and effective response strategies. Despite advances in information technology and data analysis, the full potential of health data in identifying disease patterns and trends remains underutilized. **This research aims** to develop a new mathematical model Comprehensive, new method that harnesses health data to identify patterns and trends in infectious diseases by exploring the potential of data-driven care approaches in addressing public health challenges associated with infectious diseases. **Research The method** used is exploratory data collection and analytical model development. **The research returns results** obtained by mathematical models and algorithms that consider period, time, patterns and data dangerous disease trends, statistical analysis, and recommendations. Data visualization and in-depth analysis are carried out in research to improve the ability to respond to infectious diseases threats, provide better decision-making solutions in improving outbreak response, and improve pre- solidarity in overcoming public health challenges. **This research contributes** to health practitioners and decision makers.

Copyright ©2024 *The Authors. This is an open access article under the* <u>*CC BY-SA*</u> *license.*



583

Corresponding Author:

Hengki Tamando Sihotang, +6285297583991, Information Systems Study Program, Faculty of Technology and Business, Universitas Putra Abadi Langkat, Stabat, Indonesia, Email: hengki.tamando@pal.ac.id.

How to Cite:

D. Vinsensia, S. Amri, J. Sihotang, and H. Sihotang, "New Method for Identification and Response to Infectious Disease Patterns Based on Comprehensive Health Service Data", *MATRIK: Jurnal Manajemen, Teknik Informatika, dan Rekayasa Komputer*, Vol. 23, No. 3, pp. 583-592, July, 2024.

This is an open access article under the CC BY-SA license (https://creativecommons.org/licenses/by-sa/4.0/)

1. INTRODUCTION

Infectious diseases pose a serious threat to public health worldwide. Early detection, understanding patterns, and disease trends are key to effective control efforts [1–3]. In the digital era and with advancements in information technology, data-driven care approaches promise potentially effective solutions in identifying and combating infectious diseases more effectively [4–6]. This research aims to explore the potential of this approach in addressing public health challenges related to infectious diseases [7, 8]. Despite advancements in information technology and data analysis in recent decades, the utilization of health data to identify disease patterns and trends remains suboptimal [9, 10]. Challenges such as data heterogeneity, infrastructure limitations, and lack of system integration hinder effective analysis [11, 12]. Therefore, this research aims to gain a deeper understanding of how data-driven care approaches can be used to enhance understanding and response to infectious diseases [13, 14]. The main issue faced is the underutilization of the potential of health data in infectious disease control [15, 16]. Challenges to inconsistent data collection, data integration from various sources, and accurate data analysis for identifying patterns and trends hinder early outbreak detection, predictive modeling, and the development of responsive monitoring systems [16, 13].

Previous research conducted by A. N. Desai et al. in 2021, titled Developing a Data-driven Approach in Order to Improve the Safety and Quality of Patient Care [17], has highlighted the importance of which is titled data-driven care approaches in the context of public health. These studies indicate that careful data analysis can provide valuable insights into early detection of infectious diseases and better decision-making in health management. The theories for supporting this research include concepts in epidemiology, statistical analysis, information technology, and data management. In addition to the above research, Wang et al. 2022 also researched Combining Theory and Data-Driven Approaches for Epidemic Forecasts in Knowledge Guided Machine Learning. Wang et al., in their research, developed appropriate mathematical modeling formulations to leverage data-driven care approaches, both for behavior change and addressing public health challenges related to the spread of infectious diseases.

Based on the description of previous research above, this research solves the problem of handling data analysis on a large scale. There is a gap in proper management and analysis to obtain meaningful information, especially requiring fast processing and capturing the dynamic nature of disease transmission, thus limiting predictions accuracy and consistency. The plan for completing the research includes comprehensive data collection, developing appropriate analysis models, and implementing adequate information technology to support health data management, which has been explained by previous researchers [18]. However, in solving the problem of handling data analysis on a large scale, **there is a gap in** proper management, and analysis is needed to obtain meaningful information, especially requiring fast processing and fully capturing the dynamic nature of disease transmission, thereby limiting the accuracy and consistency of predictions. Thus, modeling is needed to mitigate risk by predicting distribution patterns or measuring the impact of various intervention strategies on the dynamics of infectious disease transmission. Through a multidisciplinary and collaborative approach, it is hoped that this research can yield a better understanding of leveraging data-driven care approaches to identify infectious disease patterns and trends more effectively [19]. Existing research has not addressed the problem of big and uncertain data. Therefore, the main objective of this research is to solve these problems.

This research aims to improve the health system's ability to respond to infectious disease threats, resulting in better decision making, improving response to outbreaks, and increasing preparedness to address public health challenges. The difference between this research and previous research lies in the development of a new method in a data-based care approach, addressing public health challenges related to infectious diseases by visualizing data, through in-depth analysis. The implications of this research can provide valuable insights for health practitioners and decision makers in controlling infectious diseases. The contribution of this research to researchers is to create a new method in the form of a mathematical formulation to solve the problem of infectious diseases in society and the world of health, with the benefit of increasing the health system's ability to overcome the threat of infectious diseases through more effective use of health data, a better understanding of patterns and trends. disease can improve response to outbreaks, make better decisions in health management, and increase preparedness to face public health challenges.

2. RESEARCH METHOD

This section introduces the concept of a new model or method for detecting and determining the trend and pattern of the spread of infectious diseases. The research method used in this study is experimental research, proposing a new method to detect and determine the trend and pattern of the spread of infectious diseases. The data used is testing data by providing the assumptions for six months of X-virus infection. Utilization of Health Data: Previous studies have highlighted the underutilization of health data in infectious disease control. Challenges such as data heterogeneity, infrastructure limitations, and integration issues have been identified as barriers to effective data analysis. This research has four stages, starting from Literature Study on Data-driven approach, Concept of Optimization, Concept of Modeling, Concept of Prediction, models for analyzing disease patterns and trends, modeling of microbial infections, Data-driven research meets theory-driven research, Analysis of big data in health sector, Data-driven methods.

The problem is then identified and formulated, and the research objectives are determined. The second stage involves analyzing the need to formulate a new method, which consists of several stages: defining the parameters and variables necessary for building a new formulation, determining the formulation methods such as regression analysis, time series analysis, or machine learning algorithms to be used, formulating a new method named the HD-IDPIR Method following the objective function, and defining and analyzing input and output data. After completing the second stage, enter the third stage, namely creating an algorithm according to the process flow of the formulated HD-IDPIR Method, testing the formulation of the method using the Looker Studio Overview application, of course, with six months of infectious disease data testing data. If it has a feasible solution, then proceed to the stage of making conclusions. If not, then it will return to the second stage. This is done repetitively in the research method with instruments until the right solution is found. For details, see Figure 1.



Figure 1. Flow of Research

Significance of Data-Driven Approaches: Research underscores the importance of data-driven approaches in early disease detection and response. By harnessing the power of data analytics, healthcare practitioners can gain valuable insights into disease patterns and trends, facilitating more informed decision-making [20-22]. Theoretical foundations and theoretical frameworks from epidemiology, statistical analysis, information technology, and data management provide the basis for formulating effective research methodologies [23–26]. Concepts such as epidemic modeling, data mining, and machine learning are instrumental in analyzing health data and identifying actionable insights [27].

Methodological Approaches: Studies have employed diverse methodologies to leverage health data for infectious disease control [28]. Comprehensive data collection strategies, developing sophisticated analysis models, and implementing advanced information technology systems are commonly utilized to enhance data-driven decision-making [29]. Collaborative Efforts: Collaboration across disciplines is essential for addressing the complex challenges associated with infectious diseases [30, 31]. Multidisciplinary research teams combine expertise from various fields to develop holistic solutions and improve public health outcomes [32–34].

2.1. Basic Mathematical Formulation

To solve the problem of underutilization of health data in infectious disease control, a mathematical formulation can be developed to guide data analysis and decision-making processes. One approach involves using statistical models to analyze disease patterns and trends: Let D represent the set of infectious disease data, including variables such as incidence rates, demographic information, and geographic location. Let M denote the statistical model used for data analysis, which may include regression analysis, time series analysis, or machine learning algorithms. The goal is to maximize the utility of health data D by fitting the statistical model M to identify patterns and trends in infectious diseases, as shown equation. 1.

$$\max_{M} U(D, M)$$

$$Constraints: C_1, C_2, C_3 \dots C_n$$
(1)

585

Where U(D, M) represents the utility function, quantifying the effectiveness of the statistical model M in extracting valuable insights from the health data D.

2.2. Proposed model Comprehensive Healthcare Data-Driven Infectious Disease Pattern Identification and Response (HD-IDPIR) Method

A focus on key components such as data integration, pattern recognition, and decision-making are essential to develop a more specific mathematical formulation for addressing the research problem of underutilization of health data in infectious disease control. Let D_{-i} represents the dataset associated with infectious disease *i*, comprising various data types such as incidence rates, demographic information, and geographic factors. Let *T* denotes the time period over which the data is collected and analyzed. Let *P* represents the set of potential disease patterns and trends that can be identified from the data. Let *M* denotes the mathematical model or algorithm used for data analysis, incorporating techniques such as machine learning, time series analysis, or spatial analysis. Let *R* denotes the set of recommendations or decisions generated based on the analysis of the health data. The following is the formulation of the objective function as in equation (2). Where $U(D_1, D_2, D_3 \dots D_n T, P, M, R)$ represents the utility function, quantifying the effectiveness of the mathematical model M in extracting valuable insights from the health data $D_1, D_2, D_3 \dots D_n$ over time *T*, identifying relevant patterns *P*, and generating actionable recommendations *R*.

$$\max_{M,R} U\left(D_1, D_2, D_3 \dots D_n T, P, M, R\right)$$

constraints: $C_1, C_2, C_3 \dots C_n$ (2)

2.3. Numerical example

Let us create a simplified numerical example to demonstrate how the proposed mathematical formulation (HD-IDPIR Method) could be applied in a research scenario focused on infectious disease control. Scenario: Consider a research project aiming to analyze health data to identify patterns and trends in spreading a fictitious infectious disease called "X-virus" in a small community over six months. Data: The dataset D consists of the following variables for each month: (a) Incidence rates of X-virus infections, (b) Demographic information (e.g., age, gender) of infected individuals, (c). Geographic location of reported cases period: T = 1,2,3,4,5,6 (representing six months) Potential Disease Patterns: P= Seasonalvariations, Clusteroutbreaks, Demographic predispositions Mathematical Model: For simplicity, let us consider using a linear regression model to analyze the data and identify patterns. Recommendations: R could include strategies for targeted vaccination campaigns, public awareness campaigns, or resource allocation based on the identified patterns and trends. Objective Function: The objective function U quantifies the utility of the analysis and recommendations in mitigating the spread of X-virus and minimizing its impact on the community. Now, let us create some sample data for illustration purposes, as shown in Table 1.

Month	Incidence Rate	Age Distribution	Geographic Location
1	10	Children (30%)	Urban
2	15	Adults (50%)	Rural
3	20	Elderly (20%)	Suburban
4	25	Adults (60%)	Urban
5	30	Children (40%)	Rural
6	35	Adults (70%)	Suburban

Table 1. Sample data

3. RESULT AND ANALYSIS

The findings of this research are in the form of a proposed new method in the form of a proposed mathematical formulation in section 2.2, called the HD-IDPIR Method which is supported by research 18 to develop a new method for preventing infectious diseases with larger data. After testing the method with a numerical example using the last six months of data on the spread of virus X, results indicate that a higher U value corresponds to a higher incidence rate and greater potential urgency for intervention. Considering Figure 2: Each asterisk (*) represents the incidence rate in a given month, with the x-axis representing the month and the y-axis representing the incidence rate.

A simplified approach is applied to solve the given numerical example using the new mathematical formulation (HD-IDPIR Method), focusing on identifying patterns and trends in the spread of the X-virus and generating recommendations based on the

analysis. Objective Function: Lets define a simple objective function U that quantifies the utility of the analysis and recommendations, as shown in equation (3).

$$U = \sum_{i=1}^{6} (IncidenceRate_i \times Weight_i)$$
(3)

Where: $IncidenceRate_i$ represents the incidence rate of X-virus infections in month *i*. $Weight_i$ represents the weight assigned to each month based on its importance in the analysis (e.g., recent months may be given higher weights to prioritize current trends). Constraints are introduced to ensure the feasibility and relevance of the recommendations. For example, limitations on the total budget for intervention strategies could be included as constraints, ensuring equitable distribution of resources across demographic groups or geographic locations. Setting thresholds for acceptable incidence rates or rates of change. Solution Approach: Since this is a simplified example, complex optimization techniques will not be used. Instead, the objective function will be demonstrated to prioritize months with higher incidence rates for targeted interventions. Let us assign arbitrary weights to each month based on its importance Weight= 1,2,3,4,5,6. Now, the utility U will be calculated using the provided data.

$$U = (10 \times 1) + (15 \times 2) + (20 \times 3) + (25 \times 4) + (30 \times 5) + (35 \times 6)$$
$$U = 10 + 30 + 60 + 100 + 150 + 210$$
$$U = 560$$

In this simplified example, the utility U quantifies the overall impact of X-virus spread over the six months. Higher values of U indicate higher incidence rates and potentially greater urgency for intervention. Based on the calculated utility and any predefined constraints, recommendations can be generated to address the identified patterns and trends in X-virus spread, such as allocating resources for vaccination campaigns, public health education, or targeted interventions in areas with the highest incidence rates. While this approach provides a basic demonstration of using mathematical formulation to solve the problem, in practice, more sophisticated models and optimization techniques would be employed to account for complex factors and optimize decision-making in infectious disease control. Visualizing the given data and expressing it in a mathematical formulation, the incidence rate of infection of virus X over six months can be represented using a bar chart. Each bar will correspond to the incidence rate in a particular month, making comparisons and trend identification easy. Month 1 Jan:10, Month 2 (February):15, Month 3 (Mar):20, Month 4 (April):25, Month 5 (May):30, Month 6 (Jun):35. Figure 2 Data visualization using bar charts.



Figure 2. Visualization results of sample data

Each asterisk (*) represents the incidence rate for a specific month, with the x-axis representing the months and the y-axis representing the incidence rates. Now, let us incorporate this visualization into the mathematical formulation. The objective function U will be defined to quantify the overall impact of X-virus spread based on the incidence rates as shown in Equation (3.). Where: $IncidenceRate_i$ represents the incidence rate of X-virus infections in month *i*. $Weight_i$ represents the weight assigned to each month based on its importance in the analysis. For visualization purposes, equal weights can be assigned to each month: Weight=1,1,1,1,1,1, Now, let us calculate the utility U using the provided data:

$$U = \sum_{i=1}^{6} (IncidenceRate_i \times Weight_i)$$

$$U = (10 \times 1) + (15 \times 1) + (20 \times 1) + (25 \times 1) + (30 \times 1) + (35 \times 1)$$

$$U = 10 + 15 + 20 + 25 + 30 + 35$$

$$U = 135$$

$$(4)$$

In this formulation, the utility U quantifies the overall impact of X-virus spread over the six months. Higher values of U indicate higher incidence rates and potentially greater urgency for intervention. The following is an algorithm to analyze sample data of X virus incidence rate over six months and generate recommendations based on the analysis. Input: Incidence rates of X-virus infections for each month. Weight assigned to each month (optional). Calculate Utility Function: Initialize utility function U to 0. For each month i from 1 to 6: (Calculate the product of the incidence rate for month i and its corresponding weight (if applicable). Add the result to the utility function U.) Generate Recommendations: Based on the calculated utility function U: Identify months with higher incidence rates or significant rate increases. Determine areas or demographic groups with the highest incidence rates. Propose targeted interventions such as vaccination campaigns, public health education, or resource allocation in high-risk areas. Output: Utility function value U, indicating the overall impact of X-virus spreadrecommendations for infectious disease control strategies based on the analysis.

Figure 3 serves as a logical step of the proposed mathematical formulation, and the point is to provide an understanding of how the proposed mathematical formulation can run and can be executed if the formulation is converted into an intelligent system application, so Figure 2 is basic logic. Diverse multidimensional factors may contribute to the Incidence rates of X-virus infections for each month and the rate of disease spread, [35]. Examining and developing variables that account for the weight of the disease-spreading process can improve the effectiveness of applying predictive variables to understand the dynamics of infectious diseases. The proposed algorithm in Figure 2 provides a structured approach to analyze the sample data of X-virus incidence rates and generate recommendations for infectious disease control strategies based on the analysis. This studys results align with research [36] in handling data on a big scale. The proposed algorithm can be adapted and extended to handle more complex data and decision-making scenarios in real-world applications.

```
Function Analyze X Virus Data(Incidence_Rates, Weights):
Initialize utility_function = 0
For i = 1 to 6:
If Weights are provided:
Calculate weighted_incidence_rate = Incidence_Rates[i] * Weights[i]
Else:
Set weighted_incidence_rate = Incidence_Rates[i]
Add weighted_incidence_rate to utility_function
Return utility_function
Function Generate Recommendations(Incidence_Rates):
For i = 1 to 6:
If Incidence_Rates[i] is high or increasing:
Identify high-risk areas or demographic groups
Generate recommendations based on identified patterns and trends
Main:
Incidence_Rates = {10, 15, 20, 25, 30, 35}
Weights = (1, 1, 1, 1, 1) // Optional weights for months
utility_function = Analyze X_Virus_Data(Incidence_Rates, Weights)
recommendations = Generate_Recommendations(Incidence_Rates)
Display utility_function
Display recommendations
```

Figure 3. Algorithmic Model of the Proposed Mathematical Formulation (HD-IDPIR Method)

4. CONCLUSION

This research has demonstrated the applicability of a data-driven approach in analyzing the incidence rate of X-virus infection over a six-month period and generating recommendations for infectious disease control strategies. Through the use of mathematical formulations and algorithmic analysis (the proposed method/HD-IDPIR Method), valuable insights have been gained into the patterns and trends of X-virus spread, assisting in the formulation of targeted interventions to reduce its impact on society. The analysis revealed that the incidence rate of X-virus infection showed an increasing trend over a six-month period, indicating an increasing public health concern. By prioritizing months with higher incidence rates and identifying high-risk areas or demographic groups, recommendations were made to address the observed patterns and trends effectively. These recommendations include implementing targeted vaccination campaigns, intensifying public health education efforts, and allocating resources to high-risk areas for early detection and containment of the spread of virus X. By utilizing the proposed model or method with a data-driven approach, public health authorities can make informed decisions and take proactive measures to protect public health and prevent infectious disease outbreaks. It is essential to acknowledge the limitations of this research, including the simplifications made in the analysis and

the reliance on hypothetical data. Future studies could explore more sophisticated modeling techniques, incorporate additional data sources, and validate the effectiveness of recommended interventions through real-world implementation and evaluation. This research contributes to the growing body of knowledge on infectious disease control strategies, highlighting the importance of datadriven decision-making in safeguarding public health and ensuring the well-being of communities in the face of emerging health threats. Future research endeavors should continue to advance the integration of data-driven approaches into infectious disease control strategies, ultimately contributing to more effective public health responses and safeguarding community well-being.

5. ACKNOWLEDGEMENTS

Thanks to the Institute of Computer Science for funding this research and to LPPM University Putra Abadi Langkat and LPPM STMIK Pelita Nusantara, who support the entire research team.

6. DECLARATIONS

AUTHOR CONTIBUTION

Desi Vinsensia did the mathematical model development and literature review, Jonhariono Sihotang wrote it into draft form and improved language and writing systematics, Hengki Tamando Sihotang did mathematical modeling, developed algorithms, Siska Amari did disease initialization and provided Team with an understanding of infectious diseases. This research is a collaboration between 3 fields of science: Mathematics, Computer Science, and Health Sciences. The Institute of Computer Science funds this research.

FUNDING STATEMENT

The IOCSCIENCE Research Institute funded this research through a Basic Research Grant. Thanks to LPPM STMIK Pelita Nusantara and LPPM University Putra Abadi Langkat, who have fully supported it. Thanks also to colleagues who participated and supported us.

COMPETING INTEREST

All authors involved in completing this paper are not in a conflict of interest that results in mutual downfall. We, the authors, are very supportive of each other. Towards the journal editor, we have no interest whatsoever. We declare clean from conflicts of interest.

REFERENCES

- [1] R. E. Baker, A. S. Mahmud, I. F. Miller, M. Rajeev, F. Rasambainarivo, B. L. Rice, S. Takahashi, A. J. Tatem, C. E. Wagner, L.-F. Wang, A. Wesolowski, and C. J. E. Metcalf, "Infectious disease in an era of global change," *Nature Reviews Microbiology*, vol. 20, no. 4, pp. 193–205, Apr. 2022, https://doi.org/10.1038/s41579-021-00639-z. [Online]. Available: https://www.nature.com/articles/s41579-021-00639-z
- [2] D. Zeng, Z. Cao, and D. B. Neill, "Artificial intelligenceenabled public health surveillancefrom local detection to global epidemic monitoring and control," in *Artificial Intelligence in Medicine*. Elsevier, 2021, vol. 20, no. 4, pp. 437–453, https://doi.org/10.1016/B978-0-12-821259-2.00022-3. [Online]. Available: https://linkinghub.elsevier.com/retrieve/ pii/B9780128212592000223
- [3] D. E. Bloom and D. Cadarette, "Infectious Disease Threats in the Twenty-First Century: Strengthening the Global Response," *Frontiers in Immunology*, vol. 10, no. 2, pp. 549–552, Mar. 2019, https://doi.org/10.3389/fimmu.2019.00549. [Online]. Available: https://www.frontiersin.org/article/10.3389/fimmu.2019.00549/full
- [4] K. S. a. A. Reddy, "Improving Preventative Care and Health Outcomes for Patients with Chronic Diseases using Big Data-Driven Insights and Predictive Modeling," *International Journal of Applied Health Care Analytics*, vol. 9, no. 2, pp. 1–14, Feb. 2024, number: 2. [Online]. Available: https://norislab.com/index.php/IJAHA/article/view/60
- [5] N. Bachmann, S. Tripathi, M. Brunner, and H. Jodlbauer, "The Contribution of Data-Driven Technologies in Achieving the Sustainable Development Goals," *Sustainability*, vol. 14, no. 5, pp. 249–255, Feb. 2022, https://doi.org/10.3390/su14052497. [Online]. Available: https://www.mdpi.com/2071-1050/14/5/2497
- [6] A. Mudgil, K. Rauniyar, R. Goel, S. Thapa, and A. Negi, "Data-driven intelligent Medical Internet of Things (MIoT) based healthcare solutions for secured smart cities," in *Computational Intelligence for Medical Internet of Things (MIoT)*

590

Applications. Elsevier, 2023, vol. 2, no. 3, pp. 247–278, https://doi.org/10.1016/B978-0-323-99421-7.00006-4. [Online]. Available: https://linkinghub.elsevier.com/retrieve/pii/B9780323994217000064

- [7] I. Maljkovic Berry, M. C. Melendrez, K. A. Bishop-Lilly, W. Rutvisuttinunt, S. Pollett, E. Talundzic, L. Morton, and R. G. Jarman, "Next Generation Sequencing and Bioinformatics Methodologies for Infectious Disease Research and Public Health: Approaches, Applications, and Considerations for Development of Laboratory Capacity," *The Journal* of Infectious Diseases, vol. 3, no. 2, pp. 286–299, Oct. 2019, https://doi.org/10.1093/infdis/jiz286. [Online]. Available: https://academic.oup.com/jid/advance-article/doi/10.1093/infdis/jiz286/5586940
- [8] M. Eckhardt, J. F. Hultquist, R. M. Kaake, R. Httenhain, and N. J. Krogan, "A systems approach to infectious disease," *Nature Reviews Genetics*, vol. 21, no. 6, pp. 339–354, Jun. 2020, https://doi.org/10.1038/s41576-020-0212-5. [Online]. Available: https://www.nature.com/articles/s41576-020-0212-5
- [9] H. S. L. Jim, A. I. Hoogland, N. C. Brownstein, A. Barata, A. P. Dicker, H. Knoop, B. D. Gonzalez, R. Perkins, D. Rollison, S. M. Gilbert, R. Nanda, A. Berglund, R. Mitchell, and P. A. S. Johnstone, "Innovations in research and clinical care using patientgenerated health data," *CA: A Cancer Journal for Clinicians*, vol. 70, no. 3, pp. 182–199, May 2020, https://doi.org/10.3322/caac.21608. [Online]. Available: https://acsjournals.onlinelibrary.wiley.com/doi/10.3322/caac.21608
- [10] S. Aminizadeh, A. Heidari, S. Toumaj, M. Darbandi, N. J. Navimipour, M. Rezaei, S. Talebi, P. Azad, and M. Unal, "The applications of machine learning techniques in medical data processing based on distributed computing and the Internet of Things," *Computer Methods and Programs in Biomedicine*, vol. 241, no. 2, pp. 107–118, Nov. 2023, https: //doi.org/10.1016/j.cmpb.2023.107745. [Online]. Available: https://linkinghub.elsevier.com/retrieve/pii/S016926072300411X
- [11] B. P. Bhattarai, S. Paudyal, Y. Luo, M. Mohanpurkar, K. Cheung, R. Tonkoski, R. Hovsapian, K. S. Myers, R. Zhang, P. Zhao, M. Manic, S. Zhang, and X. Zhang, "Big data analytics in smart grids: stateoftheart, challenges, opportunities, and future directions," *IET Smart Grid*, vol. 2, no. 2, pp. 141–154, Jun. 2020, https://doi.org/10.1049/iet-stg.2018.0261. [Online]. Available: https://onlinelibrary.wiley.com/doi/10.1049/iet-stg.2018.0261
- [12] P. M. Rao and B. D. Deebak, "Security and privacy issues in smart cities/industries: technologies, applications, and challenges," *Journal of Ambient Intelligence and Humanized Computing*, vol. 14, no. 8, pp. 10517–10553, Aug. 2023, https://doi.org/10.1007/s12652-022-03707-1. [Online]. Available: https://link.springer.com/10.1007/s12652-022-03707-1
- [13] T. Alamo, D. Reina, M. Mammarella, and A. Abella, "Covid-19: Open-Data Resources for Monitoring, Modeling, and Forecasting the Epidemic," *Electronics*, vol. 9, no. 5, pp. 827–838, May 2020, https://doi.org/10.3390/electronics9050827. [Online]. Available: https://www.mdpi.com/2079-9292/9/5/827
- [14] A. Adiga, J. Chen, M. Marathe, H. Mortveit, S. Venkatramanan, and A. Vullikanti, "Data-Driven Modeling for Different Stages of Pandemic Response," *Journal of the Indian Institute of Science*, vol. 100, no. 4, pp. 901–915, Oct. 2020, https://doi.org/10.1007/s41745-020-00206-0. [Online]. Available: http://link.springer.com/10.1007/s41745-020-00206-0
- [15] I. R. Mremi, J. George, S. F. Rumisha, C. Sindato, S. I. Kimera, and L. E. G. Mboera, "Twenty years of integrated disease surveillance and response in Sub-Saharan Africa: challenges and opportunities for effective management of infectious disease epidemics," *One Health Outlook*, vol. 3, no. 1, pp. 22–32, Dec. 2021, https://doi.org/10.1186/s42522-021-00052-9. [Online]. Available: https://onehealthoutlook.biomedcentral.com/articles/10.1186/s42522-021-00052-9
- [16] A. N. Desai, M. U. G. Kraemer, S. Bhatia, A. Cori, P. Nouvellet, M. Herringer, E. L. Cohn, M. Carrion, J. S. Brownstein, L. C. Madoff, and B. Lassmann, "Real-time Epidemic Forecasting: Challenges and Opportunities," *Health Security*, vol. 17, no. 4, pp. 268–275, Aug. 2019, https://doi.org/10.1089/hs.2019.0022. [Online]. Available: https://www.liebertpub.com/doi/10.1089/hs.2019.0022
- [17] F. Cascini, F. Santaroni, R. Lanzetti, G. Failla, A. Gentili, and W. Ricciardi, "Developing a Data-Driven Approach in Order to Improve the Safety and Quality of Patient Care," *Frontiers in Public Health*, vol. 9, no. 3, pp. 667–679, May 2021, https://doi. org/10.3389/fpubh.2021.667819. [Online]. Available: https://www.frontiersin.org/articles/10.3389/fpubh.2021.667819/full
- [18] Q. Wang and C. Tang, "Deep reinforcement learning for transportation network combinatorial optimization: A survey," *Knowledge-Based Systems*, vol. 233, no. 4, pp. 107–122, Dec. 2021, https://doi.org/10.1016/j.knosys.2021.107526. [Online]. Available: https://linkinghub.elsevier.com/retrieve/pii/S0950705121007887

- [19] A. Majeed and S. O. Hwang, "Data-Driven Analytics Leveraging Artificial Intelligence in the Era of COVID-19: An Insightful Review of Recent Developments," *Symmetry*, vol. 14, no. 1, pp. 16–28, Dec. 2021, https://doi.org/10.3390/sym14010016. [Online]. Available: https://www.mdpi.com/2073-8994/14/1/16
- [20] A. S. Baiyewu, "Overview of the Role of Data Analytics in Advancing Health Service," OALib, vol. 10, no. 6, pp. 1–19, 2023, https://doi.org/10.4236/oalib.1110207. [Online]. Available: http://www.oalib.com/paper/pdf/6795806
- [21] A. Joeris, T. Y. Zhu, S. Lambert, A. Wood, and P. Jayakumar, "Real-world patient data: Can they support decision making and patient engagement?" *Injury*, vol. 54, no. 3, pp. S51–S56, May 2023, https://doi.org/10.1016/j.injury.2021.12.012. [Online]. Available: https://linkinghub.elsevier.com/retrieve/pii/S0020138321010020
- [22] S. Nasir, R. A. Khan, and S. Bai, "Ethical Framework for Harnessing the Power of AI in Healthcare and Beyond," *IEEE Access*, vol. 12, no. 2, pp. 310–325, 2024, https://doi.org/10.1109/ACCESS.2024.3369912. [Online]. Available: https://ieeexplore.ieee.org/document/10445375/
- [23] P. Galetsi, K. Katsaliaki, and S. Kumar, "Big data analytics in health sector: Theoretical framework, techniques and prospects," *International Journal of Information Management*, vol. 50, no. 3, pp. 206–216, Feb. 2020, https://doi.org/10.1016/j.ijinfomgt. 2019.05.003. [Online]. Available: https://linkinghub.elsevier.com/retrieve/pii/S0268401219302890
- [24] "Smart data and business analytics: A theoretical framework for managing rework risks in mega-projects," vol. 65, no. 2, https://doi.org/10.1016/j.ijinfomgt.2022.102495. [Online]. Available: https://linkinghub.elsevier.com/retrieve/pii/S0268401222000263
- [25] G. R. Bauer, S. M. Churchill, M. Mahendran, C. Walwyn, D. Lizotte, and A. A. Villa-Rueda, "Intersectionality in quantitative research: A systematic review of its emergence and applications of theory and methods," SSM -Population Health, vol. 14, no. 2, pp. 100–118, Jun. 2021, https://doi.org/10.1016/j.ssmph.2021.100798. [Online]. Available: https://linkinghub.elsevier.com/retrieve/pii/S2352827321000732
- [26] F. P. S. Surbakti, W. Wang, M. Indulska, and S. Sadiq, "Factors influencing effective use of big data: A research framework," *Information & Management*, vol. 57, no. 1, pp. 103–146, Jan. 2020, https://doi.org/10.1016/j.im.2019.02.001. [Online]. Available: https://linkinghub.elsevier.com/retrieve/pii/S0378720617308649
- [27] K. Santosh and L. Gaur, Artificial Intelligence and Machine Learning in Public Healthcare: Opportunities and Societal Impact, ser. SpringerBriefs in Applied Sciences and Technology. Singapore: Springer Singapore, 2021, https://doi.org/10.1007/978-981-16-6768-8. [Online]. Available: https://link.springer.com/10.1007/978-981-16-6768-8
- [28] C. Marks, G. Carrasco-Escobar, R. Carrasco-Hernndez, D. Johnson, D. Ciccarone, S. A. Strathdee, D. Smith, and A. Brquez, "Methodological approaches for the prediction of opioid use-related epidemics in the United States: a narrative review and cross-disciplinary call to action," *Translational Research*, vol. 234, no. 1, pp. 88–113, Aug. 2021, https: //doi.org/10.1016/j.trsl.2021.03.018. [Online]. Available: https://linkinghub.elsevier.com/retrieve/pii/S1931524421000815
- [29] I. H. Sarker, "Data Science and Analytics: An Overview from Data-Driven Smart Computing, Decision-Making and Applications Perspective," SN Computer Science, vol. 2, no. 5, pp. 377–386, Sep. 2021, https://doi.org/10.1007/ s42979-021-00765-8. [Online]. Available: https://link.springer.com/10.1007/s42979-021-00765-8
- [30] A. Ruckert, K. Zinszer, C. Zarowsky, R. Labont, and H. Carabin, "What role for One Health in the COVID-19 pandemic?" *Canadian Journal of Public Health*, vol. 111, no. 5, pp. 641–644, Oct. 2020, https://doi.org/10.17269/s41997-020-00409-z. [Online]. Available: https://link.springer.com/10.17269/s41997-020-00409-z
- [31] N. Azzopardi-Muscat, A. Brambilla, F. Caracci, and S. Capolongo, "Synergies in Design and Health. The role of architects and urban health planners in tackling key contemporary public health challenges," *Acta Bio Medica Atenei Parmensis*, vol. 91, no. 3, pp. 9–20, Apr. 2020, https://doi.org/10.23750/abm.v91i3-S.9414. [Online]. Available: https://doi.org/10.23750/abm.v91i3-S.9414
- [32] G. Bammer, M. ORourke, D. OConnell, L. Neuhauser, G. Midgley, J. T. Klein, N. J. Grigg, H. Gadlin, I. R. Elsum, M. Bursztyn, E. A. Fulton, C. Pohl, M. Smithson, U. Vilsmaier, M. Bergmann, J. Jaeger, F. Merkx, B. Vienni Baptista,

M. A. Burgman, D. H. Walker, J. Young, H. Bradbury, L. Crawford, B. Haryanto, C.-a. Pachanee, M. Polk, and G. P. Richardson, "Expertise in research integration and implementation for tackling complex problems: when is it needed, where can it be found and how can it be strengthened?" *Palgrave Communications*, vol. 6, no. 1, pp. 5–12, Jan. 2020, https://doi.org/10.1057/s41599-019-0380-0. [Online]. Available: https://www.nature.com/articles/s41599-019-0380-0

- [33] I. Bardhan, H. Chen, and E. Karahanna, "Connecting systems, data, and people: A multidisciplinary research roadmap for chronic disease management," *MIS Quarterly: Management Information Systems*, vol. 44, no. 1, pp. 185–200, Mar. 2020, https://doi.org/10.25300/MISQ/2020/14644. [Online]. Available: http://www.scopus.com/inward/record.url?scp= 85088472669&partnerID=8YFLogxK
- [34] L. Peek and S. Guikema, "Interdisciplinary Theory, Methods, and Approaches for Hazards and Disaster Research: An Introduction to the Special Issue," *Risk Analysis*, vol. 41, no. 7, pp. 1047–1058, Jul. 2021, https://doi.org/10.1111/risa.13777. [Online]. Available: https://onlinelibrary.wiley.com/doi/10.1111/risa.13777
- [35] S. Wongvibulsin, S. S. Martin, S. Saria, S. L. Zeger, and S. A. Murphy, "An Individualized, Data-Driven Digital Approach for Precision Behavior Change," *American Journal of Lifestyle Medicine*, vol. 14, no. 3, pp. 289–293, May 2020, https://doi.org/10.1177/1559827619843489. [Online]. Available: http://journals.sagepub.com/doi/10.1177/1559827619843489
- [36] M. C. Fitzpatrick, C. T. Bauch, J. P. Townsend, and A. P. Galvani, "Modelling microbial infection to address global health challenges," *Nature Microbiology*, vol. 4, no. 10, pp. 1612–1619, Sep. 2020, https://doi.org/10.1038/s41564-019-0565-. [Online]. Available: https://www.nature.com/articles/s41564-019-0565-8